| Form Name | Michigan Dept. Comm. Health First Sample |
|---|---|
| Design ID | MINB20100607013 |
| Version | 013 |
| Design Date | 06/07/10 |

Face of Part 8 (no copy on back)

Dotted Magenta lines signify perf lines. Magenta circles signify line holes.

Michigan BioTrust for Health
research for the future

Baby Name

Affix Label Here if Desired

*Admin. Use Only*

☐ Information Provided to Parent

☐ Parent Declined

You should have been given the booklet, *"After Newborn Screening"*. If not, please ask for it. This booklet describes the **Michigan BioTrust for Health** and how dried blood spots (DBS) could be used for medical research after newborn screening is complete. Please read this booklet and if you have any additional questions, you may call the Newborn Screening Program at *1-866-673-9939*.

- Participation in the Michigan BioTrust for Health is completely voluntary.
- If I say "yes" now I may change my mind at any time and ask that my child's DBS not be used for research by calling *1-866-673-9939*.
- When my child is 18 he or she can ask that their DBS not be used for research.
- There is no penalty from not allowing my child's DBS to be used for research.

I voluntarily agree to allow my child's DBS to possibly be used for medical research after newborn screening is complete. My permission applies to any blood spots obtained for newborn screening.

SN XXXXXXX

38371

Parent Signature _____ Date _____

MI Dept of Community Health Laboratory Copy

Remove. Discuss with parent. If granted, collect parent signature and submit original signed copy to MDCH Laboratory. Give the parent this copy.

1F

DO NOT REMOVE OVERLAY

See attached instructions for specimen collection and sending.

Allow blood to dry for 3-6 hours using the overlay for support. Close the overlay when dry. Send within 24 hours of collection.

Do not send specimens in plastic bags.

BIOHAZARD

Total Form Height (all parts) 5 2/3" (143.76mm)

Part 8: 16# White CB; PMS Red 185 and Black Ink face only
3 of 9 barcode with human readable number, Red marginal phrase
Box with bullets is shaded at 3%, box at top is shaded at 5%
8 1/2" (215.9mm)

ID Biological SYSTEMS